

RPAD

PCB ID :15672
BMW ID: 398649

Ref. No.: SAC-SHE-E-FL-04/MAY'26/01

02.05.2026

To,
Member Secretary,
Gujarat Pollution Control Board,
Sector 10A,
GANDHINAGAR - 382 010

Subject : Annual Bio-medical waste return – January'25 to December'25

Ref. : Our Authorization No. BMW – 349315 dated 14.10.2019

Dear Sir,

We are enclosing the Form – IV Annual Bio-Medical Waste return with reference to Bio medical waste management rule, 2016 for the period January'25 to December'25 for your information and record please.

Hope you will find the same in order.

Thanking You.

Yours Faithfully,

For DCM SHRIRAM LIMITED
(Unit: Shriram Alkali & chemicals)



Authorized Signatory

CC:


Regional Officer – Ankleshwar
Gujarat Pollution Control Board,
Plot No. 5009/4, Near Lyka labs,
GIDC Estate, Ankleshwar - 393001

Encl.: Form no. IV


Form – IV
(See rule 13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sr.No.	Particulars	Details										
1	Particulars of the Occupier											
	(i) Name of the authorized person (occupier or operator of facility)	DCM SHRIRAM LTD (Unit: Shriram Alkali & Chemicals)										
	(ii) Name of HCF	Occupational Health Centre										
	(iii) Address for Correspondence	DCM SHRIRAM LTD										
	(iv) Address of Facility	(Unit: Shriram Alkali & Chemicals), Plot no 749, GIDC, Industrial Estate, Jhagadia, Dist: Bharuch, State Gujarat, Pin Code:393110										
	(v) Tel. No, Fax. No	+91 9829448965										
	(vi) E-mail ID	rpschauhan@dcmsriram.com										
	(vii) URL of Website	www.dcmsriram.com										
	(viii) GPS coordinates of HCF	21.656000; 73.136600										
	(ix) Ownership of HCF or	Public Limited Company										
	(x). Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules	Authorization No. BMW – 349315 valid 31-12-2075										
	(xi). Status of Consents under Water Act and Air Act	Valid up to: 03.07.2026										
2	Type of Health Care Facility											
	(i) Bedded Hospital	No. of Beds: 00										
	(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	Other : Factory Occupational Health Centre										
	(iii) License number and its date of expiry	NOT APPLICABLE										
3	Details of CBMWTF	NOT APPLICABLE										
	(i) Number healthcare facilities covered by CBMWTF	---										
	(ii) No of beds covered by CBMWTF	---										
	(iii) Installed treatment and disposal capacity of CBMWTF	<u>NIL</u> Kg/day- Not Applicable										
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	<u>NIL</u> Kg/day- Not Applicable										
4	Quantity of waste generated or disposed in Kg per annum.	<table border="0"> <tr> <td>Yellow Category</td> <td>: 1.58 Kg</td> </tr> <tr> <td>Red Category</td> <td>: 1.61 Kg</td> </tr> <tr> <td>White</td> <td>: 0.03 Kg</td> </tr> <tr> <td>Blue Category</td> <td>: 0.53 Kg</td> </tr> <tr> <td>General Solid waste</td> <td>: NIL</td> </tr> </table>	Yellow Category	: 1.58 Kg	Red Category	: 1.61 Kg	White	: 0.03 Kg	Blue Category	: 0.53 Kg	General Solid waste	: NIL
Yellow Category	: 1.58 Kg											
Red Category	: 1.61 Kg											
White	: 0.03 Kg											
Blue Category	: 0.53 Kg											
General Solid waste	: NIL											



5	Details of the Storage, treatment, transportation, processing and Disposal Facility									
	(i) Details of the on-site storage facility.	Size: Not Applicable								
		Capacity : Not Applicable								
		Provision of on-site storage: Not Applicable. Disposing within 48 hours of generation of waste through M/s. Globe Bio Care								
	(ii) Details of the treatment or disposal facilities	<table><tr><th>Type of treatment Equipment in</th><th>No of Units</th><th>Capacity Kg/day</th><th>Quantity treated or Disposed Kg /annum</th></tr><tr><td>Incinerators Plasma Pyrolysis Autoclaves Microwaves Hydroclave Shredder Needle tip cutter Or destroyer Sharps encapsulation Of concrete pits Deep burial pit Chemical Disinfection Any other treatment Equipment</td><td rowspan="2">}</td><td rowspan="2">NA</td><td></td></tr></table>	Type of treatment Equipment in	No of Units	Capacity Kg/day	Quantity treated or Disposed Kg /annum	Incinerators Plasma Pyrolysis Autoclaves Microwaves Hydroclave Shredder Needle tip cutter Or destroyer Sharps encapsulation Of concrete pits Deep burial pit Chemical Disinfection Any other treatment Equipment	}	NA	
		Type of treatment Equipment in	No of Units	Capacity Kg/day	Quantity treated or Disposed Kg /annum					
	Incinerators Plasma Pyrolysis Autoclaves Microwaves Hydroclave Shredder Needle tip cutter Or destroyer Sharps encapsulation Of concrete pits Deep burial pit Chemical Disinfection Any other treatment Equipment	}	NA							
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.			Not Applicable						
	(iv) No of vehicles used for collection and transportation of biomedical waste	Not Applicable								
	(v) Details of incineration ash and ETO sludge generated and disposed during the treatment of waste in Kg/annum	Not Applicable								
(vi) Name of the CBMWTF operator through which wastes are disposed of	M/s Globe Bio care, Ankleshwar									
(vii) List of member HCF not handed over bio-medical waste	Not Applicable									
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period	Not Applicable								
7	Details trainings conducted on BMW									
	(i) Number of trainings conducted on BMW Management.	12 (52 man hours)								
	(ii) number of personnel trained	104								
	(iii) number of personnel trained at the time of induction	11 (5.5 man hours)								



	(iv) number of personnel not undergone any training so far	NIL (OHC staff)
	(v) Whether standard manual for training is available?	Yes
	(vi) any other information)	---
8	Details of the accident occurred during the year	
	(i) Number of Accidents occurred	NIL related to BMW handling
	(ii) Number of the persons affected	NIL
	(iii) Remedial Action taken (Please attach details if any)	NA
	(iv) Any Fatality occurred, details.	NIL related to BMW handling
9	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not meet the standards?	Not Applicable
	Details of Continuous online emission monitoring systems installed	Not Applicable
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	Not Applicable
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	Not Applicable
12.	Any other relevant information	---

Certified that the above report is for the period from JANUARY'25 to DECEMBER'25

Name and Signature of the Head of the Institution

Date: 02.05.2026

Place: Jhagadia (Bharuch)

**For DCM SHRIRAM LIMITED
(Unit: Shriram Alkali & Chemicals)**



Authorized signatory